


# Ordering Hepatitis B substitute in the Healthy Newborn PowerPlan

## Search Healthy Newborn PowerPlan


1. Click on plan from dropdown and click *Done*




2. Click on *Birth Phase* to view options

Offset	Component	Status	Details
<b>Healthy Newborn, Birth phase (Planned Pending)</b>			
4 Non Categorised			
	Refer to Clinical Guidelines for Routine Newborn Assessment		
	Refer to Clinical Pathway for Neonates		
4 Patient Care			
	Refer to Clinical Guidelines for Routine Newborn Assessment Clinical Guideline for Vital Signs and Postnatal Assessment frequency		
4 Medications			
	Mother/Parent consented to IM Phytomenadione		
<input checked="" type="checkbox"/>	phytomenadione (Konakion MM (vitamin K1) 2 mg/0.2 mL injectable solution)		Select an order sentence
	Mother/Parent consented to Oral Phytomenadione		
<input type="checkbox"/>	phytomenadione (Konakion MM (vitamin K1) 2 mg/0.2 mL injectable solution)		2 mg. Solution, injectable, Oral, ONCE only (non urgent), Oral Birth Vit K: 3 doses required, dose 1 at birth, dose 2 at neonatal screening (day 3-5) and dose 3 at 4 weeks of age, Indication: Prevention of haemolytic disease of the newborn
<input type="checkbox"/>	+76 hr phytomenadione (Konakion MM (vitamin K1) 2 mg/0.2 mL injectable solution)		2 mg. Solution, injectable, Oral, ONCE only (non urgent), Oral Birth Vit K: 3 doses required, dose 1 at birth, dose 2 at neonatal screening (day 3-5) and dose 3 at 4 weeks of age, Indication: Prevention of haemolytic disease of the newborn
<input type="checkbox"/>	+124 hr phytomenadione (Konakion MM (vitamin K1) 2 mg/0.2 mL injectable solution)		2 mg. Solution, injectable, Oral, ONCE only (non urgent), Oral Birth Vit K: 3 doses required, dose 1 at birth, dose 2 at neonatal screening (day 3-5) and dose 3 at 4 weeks of age, Indication: Prevention of haemolytic disease of the newborn
	If Mother is Hepatitis B +ve, then consider administering the Hepatitis B immunoglobulin		
	Mother/Parent consented to Hepatitis B immunoglobulin		
<input type="checkbox"/>	hepatitis B immunoglobulin (hepatitis B immunoglobulin 100 units intramuscular solution)		100 unit(s), Injection, Intramuscular, ONCE only, BLOOD-DERIVED PRODUCT. See product information for administration details. Immediately after birth (preferably within 24 hours, no later than 7 days)
	Hepatitis B Immunisation - First dose		
	Mother/Parent consented to Hepatitis B Immunisation		
	Withhold vaccination if T>38.5 or proven sepsis		
<input checked="" type="checkbox"/>	hepatitis B paediatric vaccine (H-B-Vax II (hepatitis B vaccine) Paediatric 5 mcg/0.5 mL intramuscular suspen...)		Select an order sentence
4 Laboratory			


3. Select the required Phytomenadione (the IM order is already pre-ticked) and select order sentence required (IM option showed)




# Ordering Hepatitis B substitute in the Healthy Newborn PowerPlan




- Hepatitis B paediatric vaccine (H-B-Vax II) is pre-ticked, please check what stock is currently being held in the Hospital, if Engerix-B Paediatric Vaccine is in stock follow steps below and **untick** the H-B-Vax II brand.




- Click on the + **Add** to phase option to add the Engerix-B Paediatric brand of Hepatitis B vaccine



- Select **Add Order**




- In the **Search** function type in Engrix-B Paediatric Vaccine 10mcg/0.5mL




# Ordering Hepatitis B substitute in the Healthy Newborn PowerPlan

8. Select the paediatric dose, ensure the birth dose is highlighted and click **OK**



9. Click **Done** to close the screen

10. The **OEF** will open, fill in any mandatory fields



11. You have now ordered Phytomenadione and a Hepatitis B vaccine

12. Click on **Initiate Now** and sign the **Orders For Signature** page

13. Click **Refresh** to renew screen and navigate to the **MAR** to ensure orders are correct. Ensure to click **Refresh** on the **MAR** to see new orders.

<p>hepatitis B paediatric vaccine (Engerix-B (hepatitis B vaccine) Paediatric 10 mcg/0.5 mL intramuscular suspension) 10 mcg, Prefilled Syringe, Intramuscular, ONCE only (non urgent), Dose number: 1, start: 22/05/20 12:00:00 AEST, 10 mcg = 0.5 mL. Refer to The Australian Immunisation Handbook or product information, Indication: Hepatitis B vaccination birth dose Shake well before use</p>					10 mcg Not given within 5 days.
<p>hepatitis B paediatric vaccine Confirm consent has been documented</p>					
<p>phytomenadione (Konaktion MM (vitamin K1) 2 mg/0.2 mL injectable solution) 1 mg, Solution, injectable, Intramuscular, ONCE only (non urgent), start: 22/05/20 12:00:00 AEST, Birth Vitamin K, Indication: Prevention of haemolytic disease of the newborn phytomenadione</p>					1 mg Not given within 5 days.